48.3mm Diameter HDG Steel Pipes For High Tensile Strength

Basic Information

Bythai Scaffolding Co.,Ltd


China

BT01

Bythai Scaffolding

bythaiscaffold.com

- Place of Origin:
- Brand Name:
- Certification: SGS
- Model Number:
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Surface Treatment: Galvanised
- Bending Radius:
- Elongation: >20%
- Standard:
- Yield Strength:
- Application:
- Weight: 6.4kg/m
- Name: Galvanised Scaffold Tube

>2.5D

EN39

245N/mm2

Scaffolding

 Highlight: 48.3mm Diameter HDG Steel Pipes, EN39 HDG Steel Pipes, HDG Scaffold Tube



Our Product Introduction



48.3mm Diameter HDG Steel Pipes For High Tensile Strength

Product Description:

Galvanised Scaffold Tube - EN39 Standard

The **GI pipe** is a high performance **scaffold tube** that is produced from a 3.2mm thick steel pipe that meets the EN39 Standard. With a length of 6m, it has a tensile strength of 420N/mm2. It is highly durable and corrosion resistant, making it a great choice for a variety of applications.

The **Galvanised Scaffold Tube** is designed to be used in a wide range of industrial and construction applications. The galvanised finish helps to protect the steel pipe from corrosion, rust, and other wear and tear. It is easy to install and is strong enough to hold up to the demands of any construction job.

The Galvanised Scaffold Tube is an ideal choice for any construction or industrial project. With its high tensile strength, corrosion resistance and easy installation, it is a great solution for any project. It is also cost-effective and will last for many years, making it a great investment for any project.

Features:

Product Name: Galvanised Scaffold Tube Material: Hot Dipped Galvanzied Pipes Elongation: >20% Bending Radius: >2.5D Name: EN36/BS1139 Steel Pipe Surface Treatment: Galvanised

Technical Parameters:

Attribute	Value
Name	Galvanised Scaffold Tube
Material	Galvanised Steel
Diameter	48.3mm
Thickness	3.2mm
Bending Radius	>2.5D
Elongation	>20%
Standard	EN39
Application	Scaffolding
Weight	6.4kg/m
Length	6m

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding, BT01

Bythai Scaffolding's galvanised scaffold tube, model BT01, is the perfect choice for any construction, renovation or maintenance project. It is STK 500 pipes compliant, and has been certified by SGS, so you can be sure of its quality and safety. Its price range is between \$5-\$18, and it is usually packaged in bundles for easy transport. Delivery time is 7-15 days, and the payment terms are TT/LC. The supply ability is 1000tons per month, and its elongation is >20%. It has a weight of 6.4kg/m, thickness of 3.2mm, and diameter of 48.3mm. It also has a bending radius of >2.5D.

Bythai Scaffolding's galvanised scaffold tube, model BT01, is the ideal solution for any construction, renovation or maintenance project. With its STK 500 pipes compliance, SGS certification, affordable price range and fast delivery, it is the perfect choice for your next project. Get your Bythai Scaffolding's galvanised scaffold tube, model BT01, today!

Support and Services:

Technical Support and Service for Galvanised Scaffold Tube

Our company provides comprehensive technical support and service for our galvanised scaffold tubes. Our experienced technical team can answer any questions you may have related to the use and installation of our galvanised scaffold tubes.

We provide technical advice and support regarding the best materials and methods of installation for your specific application. We also provide installation instructions and drawings, as well as detailed trouble-shooting advice in case any problems arise. In addition, we provide a range of after-sales services such as warranty repairs and replacement parts. We also offer a range of maintenance and repair services for our galvanised scaffold tubes.

For any questions or queries related to our galvanised scaffold tubes, please do not hesitate to contact our technical support team.

Packing and Shipping:

Packaging and Shipping

Galvanised Scaffold Tube is shipped in standard cardboard boxes, or alternatively in bundles. The cardboard boxes are reinforced with extra layers of cardboard for extra protection during transportation. The bundles are secured with steel straps to ensure that the tubes remain in place and don't move around during shipping.

The cardboard boxes and bundles are then placed onto wooden pallets and shrink-wrapped for extra protection against moisture and dirt. The pallets are then loaded onto trucks for delivery to the customer.

By THAI Scaffolding Co.,Ltd		
() 17300780862	info@bythaiscaffolding.com 🕑 bythaiscaffold.com	
No. 605, Industrail Exchange Center, Huanghua Town Changsha Hunan China		