

EN12810 Standard Aluminum Plank Lightweight And Easy To Install

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: bythai
- Certification: SGS
- Model Number: BS204
- Minimum Order Quantity: 100
- Price: 4.5-8.5
- Packaging Details: container
- Delivery Time: 10-15
- Payment Terms: TT/TC



Product Specification

- Features: High Strength, Easy To Assemble, Versatile, Durable, Corrosion Resistant, Lightweight, Cost-effective, Flexible, Safe, Stable, Efficient, Environmentally Friendly, Interchangeable, Adjustable, Multi-functional
- Application: Scaffolding System
- Size: Various Sizes Available
- Type: Planks
- Usage: Construction, Maintenance, Repair
- Packing: Container
- Standard: EN12810, AS/NZS 1576, ANSI/SSFI SC100-5/05, BS1139
- Highlight: **EN12810 Standard Aluminum Plank, Lightweight Adjustable Aluminum Plank, ANSI Lightweight Aluminum Plank**



Product Description

Product Description:

High Strength: The system is made of high-quality aluminum, making it extremely strong and durable. It can withstand heavy loads and provide a stable platform for workers.

Easy To Assemble: The ringlock design of this system allows for fast and easy assembly, saving time and effort on the construction site.

Versatile: The system can be used for various types of construction projects, including high-rise buildings, bridges, and other structures.

Durable: The aluminum material used in this system is highly durable, ensuring its longevity and ability to withstand harsh weather conditions.

Corrosion Resistant: The system is designed to be corrosion-resistant, making it suitable for use in both indoor and outdoor environments.

Lightweight: The use of aluminum makes this system lightweight, making it easy to transport and assemble on-site.

Cost-effective: The Aluminum Ringlock System is a cost-effective solution for scaffolding needs, as it requires minimal maintenance and has a long lifespan.


Flexible: The system can be easily adapted to fit various shapes and sizes, providing flexibility in its use.

Safe: Non-slip design and high load capacity make the Aluminum Ringlock System a safe option for workers, reducing the risk of accidents on the construction site.

Stable: The ringlock design, along with the high-quality aluminum material, provides stability and support for workers at different heights

Technical Parameters:

Technical Parameters	Description
Standard	EN12810, AS/NZS 1576, ANSI/SSFI SC100-5/05, BS1139
Oem	Available
Type	planks
Origin	China
Size	Various Sizes Available
Material	Aluminum
Features	High Strength, Easy To Assemble, Versatile, Durable, Corrosion Resistant, Lightweight, Cost-effective, Flexible, Safe, Stable, Efficient, Environmentally Friendly, Interchangeable, Adjustable, Multi-functional
Packing	Container
Usage	Construction, Maintenance, Repair
Application	Scaffolding System
Construction Safety	Complies with international safety standards
Corrosion-resistant	Made of high-quality aluminum to resist corrosion
Lightweight Plank	Lightweight design for easy transport and assembly

**Customization:**

Aluminum Ringlock System Customization Service - bythai

Brand Name: bythai

Model Number: BS204

Place of Origin: China
Certification: SGS
Minimum Order Quantity: 100
Price: 4.5-8.5
Packaging Details: container
Delivery Time: 10-15
Payment Terms: TT/TC
Material: Aluminum
Application: Scaffolding System
Type: planks
Packing: Container
Features:
High Strength
Easy To Assemble
Versatile
Durable
Corrosion Resistant
Lightweight
Cost-effective
Flexible and Detachable
Safe
Stable
Efficient installation
Environmentally Friendly
Interchangeable
Adjustable
Multi-functional

Packing and Shipping:

Packaging and Shipping

The Aluminum planks is carefully packaged to ensure safe and efficient transportation to our customers. Each component is individually wrapped and labeled for easy identification. The complete system is then placed in a strong and durable wooden crate to protect it from any external damage during shipping.

For international shipments, the crates are securely strapped and loaded onto pallets for easy handling and loading onto trucks or containers. The crates are also marked with the necessary shipping information, including the product name, quantity, and destination address.

We work closely with our trusted shipping partners to ensure timely and secure delivery of our products. Depending on the customer's location, we offer both air and sea freight options. We also offer expedited shipping for urgent orders.

Our efficient packaging and shipping process ensures that our customers receive their Aluminum Ringlock System in excellent condition and on time, no matter where they are in the world.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China