

3.2mm Galvanized Scaffold Tube 48 Durable And Long Lasting For Construction

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Price: \$5-\$18
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Yield Strength: 245N/mm2
- Standard: EN39
- Thickness: 3.2mm
- Material: Galvanised Steel
- Name: Galvanised Scaffold Tube
- Diameter: 48.3mm
- Application: Scaffolding
- Weight: 6.4kg/m
- Highlight: **3.2mm Galvanized Scaffold Tube, EN39 Galvanized Scaffold Tube, Construction Galvanised Scaffolding Tubes**



3.2mm Galvanized Scaffold Tube 48 Durable And Long-Lasting For Construction

Product Description:

Galvanised Scaffold Tube

The Galvanised Scaffold Tube is a type of seamless pipe that is specifically designed for scaffolding applications. It is known for its superior strength, durability, and corrosion resistance due to its galvanised surface treatment.

The surface treatment of the Galvanised Scaffold Tube involves coating the steel tube with a layer of zinc, which provides a protective barrier against rust and other forms of corrosion. This zinc coating not only enhances the appearance of the tube but also extends its lifespan, making it a cost-effective and reliable option for scaffolding projects.

The Galvanised Scaffold Tube has a thickness of 3.2mm, making it a sturdy and reliable choice for supporting heavy loads. It is also designed with a yield strength of 245N/mm², ensuring its ability to withstand stress and pressure.

Key Features:

Surface Treatment: Galvanised

Name: Galvanised Scaffold Tube

Application: Scaffolding

Thickness: 3.2mm

Yield Strength: 245N/mm²

Benefits of Using Galvanised Scaffold Tube:

Superior strength and durability

Corrosion resistance due to zinc coating

Cost-effective option for scaffolding projects

Long lifespan

Sturdy and reliable support for heavy loads

Application:

The Galvanised Scaffold Tube is widely used in the construction industry for various scaffolding applications, including:

Building construction

Bridge construction

Tunnel construction

Roofing and siding

And more

With its strong and durable structure, the Galvanised Scaffold Tube is an essential component in any scaffolding system, providing a safe and reliable platform for workers to carry out their tasks.

Conclusion:

The Galvanised Scaffold Tube is a top-quality product that offers superior strength, durability, and corrosion resistance. Its galvanised surface treatment, along with its 3.2mm thickness and 245N/mm² yield strength, makes it a reliable and cost-effective option for any scaffolding project. With its various benefits and wide range of applications, the Galvanised Scaffold Tube is a must-have for any construction project.



Technical Parameters:

Attribute	Value
Name	Galvanised Scaffold Tube
Material	Galvanised Steel

Tensile Strength	420N/mm2
Yield Strength	245N/mm2
Diameter	48.3mm
Surface Treatment	Galvanised
Weight	6.4kg/m
Thickness	3.2mm
Application	Scaffolding
Standard	EN39
Keyword	scaffolding steel tube, hot dip galvanized scaffolding steel tube, galvanized pipe for scaffolding

Applications:

Galvanised Scaffold Tube - Bythai Scaffolding

Brand Name: Bythai Scaffolding

Model Number: BT01

Place of Origin: China

Certification: SGS

Price: \$5-\$18

Packaging Details: In bundles

Delivery Time: 7-15 days

Payment Terms: TT/LC

Supply Ability: 1000tons per month

Standard: EN39

Surface Treatment: Galvanised

Weight: 6.4kg/m

Thickness: 3.2mm

Diameter: 48.3mm

The Galvanised Scaffold Tube by Bythai Scaffolding is a high-quality steel tube that is hot dip galvanized for maximum protection against corrosion and weathering. This versatile product is commonly used in the construction and building industry as part of a scaffolding system.

Scaffolding is an essential component in any construction project, providing a safe and reliable platform for workers to perform their tasks at various heights. The Galvanised Scaffold Tube from Bythai Scaffolding is designed to meet the rigorous demands of the construction industry, ensuring safety and durability.

One of the key features of the Galvanised Scaffold Tube is its ease of assembly. The tubes are lightweight, making them easy to transport and assemble on-site. This not only saves time but also reduces labor costs. The high load capacity of the tubes allows for multiple workers and equipment to be supported, increasing efficiency on the construction site.

The hot dip galvanizing process used to coat the tubes ensures a long-lasting and weather-resistant product. This makes the Galvanised Scaffold Tube suitable for use in both indoor and outdoor construction projects. The galvanized coating also provides an additional layer of protection against corrosion, making the tubes suitable for use in harsh environments.

The Galvanised Scaffold Tube from Bythai Scaffolding is a cost-effective solution for all your scaffolding needs. Its reliable and strong construction ensures stability and safety, while its versatility allows it to be used in various construction scenarios. The 3.2mm thickness and 48.3mm diameter make it a perfect fit for most scaffolding systems.

In addition to its use in construction, the Galvanised Scaffold Tube can also be used for temporary structures, such as event stages and grandstands. Its lightweight design and easy assembly make it a popular choice for such applications.

Investing in the Galvanised Scaffold Tube from Bythai Scaffolding means investing in a high-quality, long-lasting product that will provide reliable support for all your construction needs. Its galvanized coating, high load capacity, and easy assembly make it the go-to choice for construction professionals around the world.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghua Town Changsha Hunan China