

China Building Material Scaffolding Tubes BS1139 Galvanized Steel Pipe Carbon Steel Pipe

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS
- Model Number: BT01
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 7-15 days
- Payment Terms: TT/LC
- Supply Ability: 1000tons per month



Product Specification

- Thickness: 3.2mm
- Application: Scaffolding
- Surface Treatment: Galvanised
- Material: Galvanised Steel
- Tensile Strength: 420N/mm2
- Name: Galvanised Scaffold Tube
- Standard: EN39
- Yield Strength: 245N/mm2
- Highlight: **China Building Material Galvanized Steel Pipe,
BS1139 Galvanized Steel Pipe,
China Galvanized Steel Pipe**



Product Description:

The Galvanised Scaffold Tube is an essential component in the construction and building industries, providing a sturdy and reliable framework for various scaffolding applications. With its superior strength and durability, this pipe scaffold tube has been designed to meet the rigorous demands of construction sites, ensuring safety and efficiency for workers.

Constructed from high-quality steel, this hot dip galvanized scaffolding steel tube boasts a weight of 6.4kg per meter, offering a balance between structural stability and manageability. The galvanised scaffold tubes are meticulously crafted with a thickness of 3.2mm, providing the necessary rigidity and support for heavy loads and high-traffic conditions commonly encountered on construction sites. The scaffold tubes have a standard diameter of 48.3mm, a size that is compatible with a wide range of scaffolding systems and couplers, making it a versatile choice for various project requirements. This uniform diameter ensures a seamless fit and easy assembly, saving valuable time during the construction process.

In summary, the Galvanised Scaffold Tube is a top-of-the-line solution for anyone in need of a high-quality, durable scaffolding component. Its balance of weight and thickness, combined with its exceptional yield and tensile strength, ensures that it can support the most demanding construction tasks. The standardized diameter allows for ease of use across various systems, and the hot dip galvanization process guarantees that these tubes will withstand the test of time and weather. For a highly resistant, robust, and efficient pipe scaffold tube, the Galvanised Scaffold Tube is the ideal choice for your next construction project.

Technical Parameters:

Attribute	Details
Name	Galvanised Scaffold Tube
Tensile Strength	420N/mm ²
Application	Scaffolding
Standard	EN39
Thickness	3.2mm
Yield Strength	245N/mm ²
Material	Galvanised Steel
Surface Treatment	Galvanised
Weight	6.4kg/m
Diameter	48.3mm





Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

No. 605,Industrail Exchange Center ,Huanghai Town Changsha Hunan China