

Hot Dipped Galvanized Round Steel Pipe Pre GI Steel Pipe Welded Galvanised Coating Metal Tube For Scaffolding Structural

Our Product Introduction

for more products please visit us on bythaiscaffold.com

Basic Information

- Place of Origin: China
- Brand Name: Bythai Scaffolding
- Certification: SGS ISO
- Model Number: BT201
- Minimum Order Quantity: 1000
- Price: \$10-\$85
- Packaging Details: In bundles
- Delivery Time: 10-15 days
- Payment Terms: TT/TC
- Supply Ability: 1000tons per month




Product Specification

- Surface Treatment: Galvanised
- Thickness: 3.2mm
- Standard: EN39
- Application: Scaffolding
- Yield Strength: 245N/mm2
- Material: Galvanised Steel
- Tensile Strength: 420N/mm2
- Weight: 6.4kg/m
- Highlight: Scaffolding Structural Round Steel Pipe,
Galvanised Coating Round Steel Pipe,
Welded Galvanised Coating Round Steel Pipe



More Images



Product Description

Features:

Product Name: Galvanised Scaffold Tube

Weight: 6.4kg/m

Material: Galvanised Steel

Standard: EN39

Tensile Strength: 420N/mm2

Thickness: 3.2mm

This steel tube product is a durable and reliable option for construction and scaffolding needs. Made from galvanized pipe with a thickness of 3.2mm, it has a tensile strength of 420N/mm2. With a weight of 6.4kg/m, it meets the EN39 standard and is a strong choice for any project requiring scaffold tube or other steel tubes.

Technical Parameters:

| | |
|-------------------|--------------------------|
| Diameter | 48.3mm |
| Yield Strength | 245N/mm2 |
| Surface Treatment | Galvanised |
| Tensile Strength | 420N/mm2 |
| Name | Galvanised Scaffold Tube |
| Standard | EN39 |
| Material | Galvanised Steel |
| Thickness | 3.2mm |
| Application | Scaffolding |
| Weight | 6.4kg/m |

Applications:

With a tensile strength of 420N/mm2 and yield strength of 245N/mm2, this pipe scaffold tube is built to withstand heavy loads and provide a safe working environment. Its thickness of 3.2mm ensures durability and strength, making it a dependable choice for all your scaffolding needs.

The Galvanised Scaffold Tube is designed to meet the BS1139 scaffolding tube standard, ensuring that it is compatible with a wide range of scaffolding accessories. Its galvanised surface treatment protects against rust and corrosion, making it ideal for use in outdoor and humid conditions.

These tubes are supplied in bundles, making them easy to transport and store. Delivery time is typically 10-15 days, and payment terms include TT/TC. Bythai Scaffolding has a supply ability of 1000 tons per month, ensuring that you can get the Galvanised Scaffold Tube when you need it.

The Galvanised Scaffold Tube is perfect for any scaffolding application, including construction, maintenance, and repair. Whether you're building a new structure or repairing an existing one, this tube is an excellent choice for your project.

Some of the application occasions and scenarios where the Galvanised Scaffold Tube can be used include:

Building construction

Bridges and highways

Roofing and guttering

Industrial maintenance and repair

Shipbuilding and offshore construction

Overall, the Galvanised Scaffold Tube from Bythai Scaffolding is a high-quality, versatile product that can be used in a variety of construction and maintenance scenarios. Its durability and strength, combined with its galvanised surface treatment, make it an excellent choice for your scaffolding needs.



Bythai Scaffolding Co.,Ltd



17300780862



info@bythaiscaffolding.com



bythaiscaffold.com

